

Global Positioning System (GPS) Module +

Technical Data

DS-GPM+
DS-GPMe+
Firmware version 1

Features

- **Drop in replacement for the DS-GPM with superior accuracy and lower power consumption.**
- **Give your robot the ability to know where it is, how fast its moving and in what direction*.**
- **Fast 12-channel position acquisition with battery backup for fast restart.**
- **Simple register based data retrieval of latitude, longitude, heading, altitude, speed, time, date & satellites in view.**
- **Integral low power antenna (external on GPMe+).**
- **Form factor identical to OOPic embedded control module (51mm x 89mm high quality PCB)**
- **RS232 or I²C communication interface for simple connection to PC, OOPic, BASIC Stamp etc.**
- **Built in 4 line IO port and 4 input 8bit ADC port for local sensors.**
- **Raw GPS data output to NMEA 0183 standard.**

Description

The Designer Systems DS-GPM+ is a highly integrated Global Positioning System allowing your robotic application to determine its location on the earth's surface. Specifically targeted at OOPic / BASIC Stamp type embedded control applications and the Personal Computer user the GPM+ features I²C and RS232 communication.

GPS data received by the DS-GPM+ is stored within internal registers which are updated once per second and include:

- Latitude (i.e. vertical)
- Longitude (i.e. horizontal)
- Altitude (metres)
- Time & date (UTC)
- Heading (True & Magnetic)
- Speed (kilometres per hour)
- Satellites detected

In addition the DS-GPM+ features an on-board fully configurable four line TTL IO port and a four line analogue input port with automatic measurement.



An auxiliary connection is also provided that delivers an accurate one pulse-per-second signal and the raw NMEA 0183 data.

Applications

The DS-GPM+ has many applications in robotics, security and timing. For example the module could be used to send a rover to a particular position or the DS-GPMe+ antenna be used to form a vehicle security solution in-conjunction with an embedded controller and GSM modem. Application notes for the OOPic controllers are provided.

COMMS MODULES

Selection Guide

Description	Part Number
Global Position System Module +	DS-GPM+
Global Position System Module + with MCX antenna connection (no antenna included)	DS-GPMe+
DS-GPMe+ magnetic-mount antenna with 3metre lead	DS-GPA1
OOPic I ² C / power 'Y' cable 150mm	DS-WI2CCAB
PC (DB9) to GPM RS232 cable 1.5m	DS-W232CAB

* Note: GPS information cannot be collected without a clear view of the sky.

GPS basics

The heart of the DS-GPM+ is a Global Positioning System receiver module and antenna (antenna external in GPMe) that receive signals from satellites orbiting the earth.

There are 24 of these satellites, each sending its own unique signal to the earth's surface for pickup by any GPS receiver, which searches the sky for available satellites.

Upon detecting the satellites in view and their current position the receiver uses the satellites with highest signal strength to calculate, using triangulation, the receiver's latitude, longitude & altitude** (position).

Latitude is measured in degrees and minutes either North or South of the equator.

Longitude is measured in degrees and minutes either West or East of an imaginary line drawn vertically through Greenwich in the UK.

Altitude is measured in metres above sea level.

For example the offices of Designer Systems in Truro, UK are located 50 degrees, 15.817 minutes North latitude and 5 degrees, 3.549 minutes West longitude.

Should the receiver also be moving, speed in kilometres per hour, and heading, in degrees true north and magnetic north, can also be determined.

To gain the best reception the GPM should be used outside with a good view of the sky. Trees and buildings will cause the GPS signals being received to degrade and positional/speed information may be lost. To greatly improve reception the GPM should be mounted above a metal base, the X4 rover is an idea platform due to its aluminium base.

** LLA format to WGS-84 ellipsoid.

Operation

When power is applied to the GPM the unit immediately starts to search for satellites. The GPM can start in one of three (3) modes, as follows:

Cold start mode:

This mode only applies when the GPM has been powered-up for the first time after being removed from its packaging. As the GPM does not know where it is on the earth's surface, it starts to hunt for groups of satellites to determine its location. This process may take up to 30 minutes before positional information is

available; it is suggested that a battery be connected and the unit left in the open air until the STATUS indicator starts to flash.

Warm start mode:

This mode applies to a GPM that has already been 'cold-started' and whose location has not changed significantly when powered up again or has been powered down for at least one (1) hour. Positional information is normally available again within 45 seconds of power re-application.

Hot start mode:

This mode applies when the GPM has been powered off for less than 60 minutes. Positional information is normally available again within 5-20 seconds of power re-application.

The warm and hot start power-up modes are possible due to an internal backup battery which powers the Real Time Clock (RTC) and almanac memory when external power is removed.

STATUS indication...

The STATUS indicator is used to provide visual feedback of the current GPM condition. There are three (3) conditions as follows:

ON Steady	Power applied and no positional information.
Flashing slowly	Positional information received.
Flashing fast	GPM in motion.

These conditions will change as the GPM+ moves around its location and under objects that may block the satellite signals.

Power requirements

The DS-GPM+ may take the power necessary for operation (approx. 50mA) from an OOPic-R +5V supply, using a DS-ORI2CCAB, or from an external battery or power adaptor supplying between 6 and 16V DC, which is recommended if the OOPic or OOPic II is connected. The two pin DC power input connector marked '6 - 16V DC' is marked '+' & '-' which should be connected to positive and negative battery/power supply terminals respectively. *Warning: Mis-connection of this connection may damage the DS-GPM+.*

Analogue input port

The DS-GPM+ features a four input 8bit Analogue to Digital Converter port 'AN0' to 'AN3' (see Fig. 4.0). Each input is automatically updated every 100mS from an external input voltage of 0 - 5V and the result stored in internal registers which can be read by the connected RS232 or I²C device (see register details further on in this datasheet). The port also incorporates a ground and V+ bus that allows sensors to be directly connected and powered (see Fig. 4.0)

Warning: These inputs are not over-voltage protected and should not be subjected to voltages over 5V.

Input/Output port


The DS-GPM+ also features a four line logic level IO port marked 'RAW GPS & IO' (8pin header, see Fig. 4.0). Each line can be individually configured as input or output with outputs capable of driving a maximum load of 20mA and inputs capable of reading the state of switches, sensors and other input devices. Full control of IO direction, input and output can be accessed by the connected RS232 or I²C device (see register details further on in this datasheet).

Warning: These inputs are not over-voltage protected and should not be subjected to voltages over 5V

I²C connector(s)

The I²C connector marked 'I²C Input' (4pin header) allows connection to the OOPic controller – using a DS-WI2CCAB cable – or another I²C Master device. There is also an additional connector marked 'I²C Output' (4pin header) that can be used to connect to additional I²C devices such as the DS-WCM, DS-LCDD2, DS-SXM16S etc.

The DS-GPM+ is fitted with pull-up jumpers that can be configured to provide the source current necessary for I²C communication. The following jumpers should **ONLY** be set if the I²C bus does not have existing pull-up's:



I²C communication

Up to four DS-GPM+ modules may be connected to the same I²C bus and accessed individually using their own individual address.

The address is configured with the following jumpers:

ADDRESS



The following table shows how the jumpers are placed for the different binary addresses:

Address xx	A0	A1
00 (default)	ON	ON
01	OFF	ON
10	ON	OFF
11	OFF	OFF

The binary address (xx) above is used in conjunction with the device ID 11010xxD to form the complete device address i.e. if both jumpers are left connected (default) then the device address would be 110100D_{binary}.

The 'D' bit determines if a read or a write to the GPM is to be performed. If the 'D' bit is set '1' then a register read is performed or if clear '0' a register write.

To access individual registers a device write must be undertaken by the OOPic / I²C Master which consists of a Start condition, device ID ('D' bit cleared), register to start write, one or more bytes of data to be written and a stop condition (see Figure 1.0 for I²C write protocol).

There are 2 individual registers that can be written within the GPM that control local IO port setup and output as follows:

N₇ N₆ N₅ N₄ N₃ N₂ N₁ N₀

GPM I²C address
1. 1 1 0 1 0 1 0 X X 0
XX = Address select pins A1 & A0

Register address
2. U U U U U U U U B
B..B = 0 to 1
U..U = unused on this implementation

Local I/O port direction register
R0 U U U U U X X X X
X = 1 or 0 (1 = I/O is input, 0 = I/O is output)
U..U = unused on this implementation

Local I/O port output data register
R1 U U U U U X X X X
X = 1 or 0 (1 = output pin is high, 0 = output pin is low)
U..U = unused on this implementation

To read individual data and status registers a device write then read must be undertaken by the OOPic / I²C Master.

The write consists of a Start condition, device ID ('D' bit cleared), register to start read and a Stop condition.

This is followed by a read, which consists of a Start condition, device ID ('D' bit set), followed by data from the register specified and terminated with a Stop condition. The GPM also auto increments the register specified for every additional read requested by the Master I²C device, which allows more than one register to be read in one transaction. This allows for example Register 0 to Register 5, current UTC time, to be read in one transaction (see Figure 1.1 for I²C read protocol). There are 112 individual registers that can be read within the GPM as follows:

N₇ N₆ N₅ N₄ N₃ N₂ N₁ N₀
GPM Address
1. 1 1 0 1 0 X X 1
XX = Address select pins

Hours tens register
R0 X X X X X X H H H
H..H = Tens of hours (24 hour clock UTC time)
X..X = not used

Hours units register
R1 X X X X X H H H H
H..H = Units of hours (24 hour clock UTC time)
X..X = not used

Minutes tens register
R2 X X X X X M M M
M..M = Tens of minutes (UTC time)
X..X = not used

Minutes units register
R3 X X X X M M M M
M..M = Units of minutes (UTC time)
X..X = not used

Seconds tens register
R4 X X X X X S S S
S..S = Tens of seconds (UTC time)
X..X = not used

Seconds units register
R5 X X X X S S S S
S..S = Units of seconds (UTC time)
X..X = not used

Day of month tens register
R6 X X X X X X D D
D..D = Tens of day of month
X..X = not used

Day of month units register
R7 X X X X D D D D
D..D = Units of day of month
X..X = not used

Month tens register
R8 X X X X X X M M
M..M = Tens of months
X..X = not used

Month units register
R9 X X X X M M M M
M..M = Units of months
X..X = not used

Years thousands register
R10 X X X X X X Y Y
Y..Y = Thousands of years
X..X = not used

Years hundreds register
R11 X X X X Y Y Y Y
Y..Y = Hundreds of years
X..X = not used

Years tens register
R12 X X X X Y Y Y Y
Y..Y = Tens of years
X..X = not used

Years units register
R13 X X X X Y Y Y Y
Y..Y = Units of years
X..X = not used

Latitude degrees tens register
R14 X X X X D D D D
D..D = Tens of degrees
X..X = not used

Latitude degrees units register
R15 X X X X D D D D
D..D = Units of degrees
X..X = not used

Latitude minutes tens register
R16 X X X X M M M M
M..M = Tens of minutes
X..X = not used

Latitude minutes units register
R17 X X X X M M M M
M..M = Units of minutes
X..X = not used

Latitude minutes tenths register
R18 X X X X M M M M
M..M = Tenths of minutes
X..X = not used

Latitude minutes hundredths register
R19 X X X X M M M M
M..M = Hundredths of minutes
X..X = not used

Latitude minutes thousandths register
R20 X X X X M M M M
M..M = Thousandths of minutes
X..X = not used

See R111 for Latitude minutes ten thousandths

Latitude direction character
R21 X D D D D D D D
D..D = ASCII Character (N = North, S = South)
X..X = not used

Longitude degrees hundreds register
R22 X X X X X X D D
D..D = Hundreds of degrees
X..X = not used

Longitude degrees tens register
R23 X X X X X D D D
D..D = Tens of degrees
X..X = not used

Longitude degrees units register
R24 X X X X X D D D
D..D = Units of degrees
X..X = not used

Longitude minutes tens register
R25 X X X X M M M M
M..M = Tens of minutes
X..X = not used

Longitude minutes units register
R26 X X X X M M M M
M..M = Units of minutes
X..X = not used

Longitude minutes tenths register
R27 X X X X M M M M
M..M = Tenths of minutes
X..X = not used

Longitude minutes hundredths register
R28 X X X X M M M M
M..M = Hundredths of minutes
X..X = not used

Longitude minutes thousandths register
R29 X X X X M M M M
M..M = Thousandths of minutes
X..X = not used

See R112 for Longitude minutes ten thousandths

Longitude direction character
R30 X D D D D D D D
D..D = ASCII Character (W = West, E = East)
X..X = not used

GPS quality indicator

R31 [X X X X X X X D D]
D..D = 0 - 2 (0 = No GPS, 1 = GPS, 2 = DGPS)
X..X = not used

Satellites in use tens register

R32 [X X X X X X X S S]
S..S = Tens of satellites in use
X..X = not used

Satellites in use units register

R33 [X X X X X X S S S S]
S..S = Units of satellites in use
X..X = not used

HDOP units register

R34 [X X X X X X H H H H]
H..H = Units of HDOP
X..X = not used

HDOP tenths register

R35 [X X X X X X H H H H]
M..M = Tenths of HDOP
X..X = not used

HDOP hundredths register

R36 [X X X X X X H H H H]
M..M = Hundredths of HDOP
X..X = not used

Altitude metres tens of thousands register

R37 [X X X X X X X X X A]
A = Tens of thousands of metres
X..X = not used

Altitude metres thousands register

R38 [X X X X X X A A A A]
A..A = Thousands of metres
X..X = not used

Altitude metres hundreds register

R39 [X X X X X X A A A A]
A..A = Hundreds of metres
X..X = not used

Altitude metres tens register

R40 [X X X X X X A A A A]
A..A = Tens of metres
X..X = not used

Altitude metres units register

R41 [X X X X X X A A A A]
A..A = Units of metres
X..X = not used

Heading degrees (true North) hundreds register

R42 [X X X X X X X H H]
H..H = Hundreds of degrees
X..X = not used

Heading degrees (true North) tens register

R43 [X X X X X X H H H H]
H..H = Tens of degrees
X..X = not used

Heading degrees (true North) units register

R44 [X X X X X X H H H H]
H..H = Units of degrees
X..X = not used

Heading degrees (true North) tenths register

R45 [X X X X X X H H H H]
H..H = Tenths of degrees
X..X = not used

Heading degrees (Magnetic North) hundreds register

R46 [X X X X X X X H H H]
H..H = Hundreds of degrees
X..X = not used

Heading degrees (Magnetic North) tens register

R47 [X X X X X X H H H H]
H..H = Tens of degrees
X..X = not used

Heading degrees (Magnetic North) units register

R48 [X X X X X X H H H H]
H..H = Units of degrees
X..X = not used

Heading degrees (Magnetic North) tenths register

R49 [X X X X X X H H H H]
H..H = Tenths of degrees
X..X = not used

Speed hundreds register

R50 [X X X X X X X S S]
S..S = Hundreds of kilometres per hour
X..X = not used

Speed tens register

R51 [X X X X X S S S S]
S..S = Tens of kilometres per hour
X..X = not used

Speed units register

R52 [X X X X X S S S S]
S..S = Units of kilometres per hour
X..X = not used

Speed tenths register

R53 [X X X X X S S S S]
S..S = Tenths of kilometres per hour
X..X = not used

GPS Mode character

R54 [X D D D D D D D D]
D..D = ASCII character (A = Autonomous Mode, D = Differential Mode, E = Estimated (dead reckoning) Mode, M = Manual Input Mode, S = Simulated Mode, N = Data Not Valid)

Satellites in view tens register

R55 [X X X X X X X S S]
S..S = Tens of satellites in view
X..X = not used

Satellites in view units register

R56 [X X X X X S S S S]
S..S = Units of satellites in view
X..X = not used

Satellite 1 ID number tens register

R57 [X X X X X X X S S]
S..S = Tens of satellite ID number
X..X = not used

Satellite 1 ID number units register

R58 [X X X X X S S S S]
S..S = Units of satellite ID number
X..X = not used

Satellite 1 signal level tens register

R59 [X X X X X L L L L]
L..L = Tens of satellite signal level
X..X = not used

Satellite 1 signal level units register

R60 [X X X X X L L L L]
L..L = Units of satellite signal level
X..X = not used

Satellite 2 ID number tens register

R61 [X X X X X X X S S]
S..S = Tens of satellite ID number
X..X = not used

Satellite 2 ID number units register

R62 [X X X X X S S S S]
S..S = Units of satellite ID number
X..X = not used

Satellite 2 signal level tens register

R63 [X X X X X L L L L]
L..L = Tens of satellite signal level
X..X = not used

Satellite 2 signal level units register

R64 [X X X X X L L L L]
L..L = Units of satellite signal level
X..X = not used

Satellite 3 ID number tens register

R65 [X X X X X X X S S]
S..S = Tens of satellite ID number
X..X = not used

Satellite 3 ID number units register

R66 [X X X X X S S S S]
S..S = Units of satellite ID number
X..X = not used

Satellite 3 signal level tens register

R67 [X X X X X L L L L]
L..L = Tens of satellite signal level
X..X = not used

Satellite 3 signal level units register

R68 [X X X X X L L L L]
L..L = Units of satellite signal level
X..X = not used

Satellite 4 ID number tens register

R69 [X X X X X X X S S]
S..S = Tens of satellite ID number
X..X = not used

Satellite 4 ID number units register

R70 [X X X X X S S S S]
S..S = Units of satellite ID number
X..X = not used

Satellite 4 signal level tens register

R71 [X X X X X L L L L]
L..L = Tens of satellite signal level
X..X = not used

Satellite 4 signal level units register

R72 [X X X X X L L L L]
L..L = Units of satellite signal level
X..X = not used

Satellite 5 ID number tens register

R73 [X X X X X X X S S]
S..S = Tens of satellite ID number
X..X = not used

Satellite 5 ID number units register

R74 [X X X X X S S S S]
S..S = Units of satellite ID number
X..X = not used

Satellite 5 signal level tens register

R75 [X X X X X L L L L]
L..L = Tens of satellite signal level
X..X = not used

Satellite 5 signal level units register

R76 [X X X X X L L L L]
L..L = Units of satellite signal level
X..X = not used

Satellite 6 ID number tens register

R77 [X X X X X X X S S]
S..S = Tens of satellite ID number
X..X = not used

Satellite 6 ID number units register

R78 [X X X X X S S S S]
S..S = Units of satellite ID number
X..X = not used

Satellite 6 signal level tens register

R79 [X X X X X L L L L]
L..L = Tens of satellite signal level
X..X = not used

Satellite 6 signal level units register

R80 [X X X X X L L L L]
L..L = Units of satellite signal level
X..X = not used

Satellite 7 ID number tens register

R81 [X X X X X X X S S]
S..S = Tens of satellite ID number
X..X = not used

Satellite 7 ID number units register

R82 [X X X X X S S S S]
S..S = Units of satellite ID number
X..X = not used

Satellite 7 signal level tens register

R83 [X X X X X L L L L]
L..L = Tens of satellite signal level
X..X = not used

Satellite 7 signal level units register

R84 [X X X X X L L L L]
L..L = Units of satellite signal level
X..X = not used

Satellite 8 ID number tens register

R85 [X X X X X X X S S]
S..S = Tens of satellite ID number
X..X = not used

Satellite 8 ID number units register

R86 [X X X X X S S S S]
S..S = Units of satellite ID number
X..X = not used

Satellite 8 signal level tens register

R87 [X X X X X L L L L]
L..L = Tens of satellite signal level
X..X = not used

Satellite 8 signal level units register

R88 [X X X X X L L L L]
L..L = Units of satellite signal level
X..X = not used

Local analogue input AN0 value

R89 [D D D D D D D D D]
D..D = 0 to 255 (Analogue input value for AN0 input)

Local analogue input AN1 value

R90 [D D D D D D D D D]
D..D = 0 to 255 (Analogue input value for AN1 input)

Local analogue input AN2 value

R91 [D D D D D D D D D]
D..D = 0 to 255 (Analogue input value for AN2 input)

Local analogue input AN3 value

R92 [D D D D D D D D D]
D..D = 0 to 255 (Analogue input value for AN3 input)

Local I/O port input value

R93 [X X X X X D D D D]
D = 1 or 0 (1 = input pin is high, 0 = input pin is low)

DS-GPM+ Status

R94	U	U	B	A	V	V	V	V
-----	---	---	---	---	---	---	---	---

V..V = Firmware version number 1-15
 A = Position found bit (0 = Not found, 1 = Found)
 B = Motion bit (0 = Standstill, 1 = Moving)

Satellite 9 ID number tens register

R95	X	X	X	X	X	X	S	S
-----	---	---	---	---	---	---	---	---

S..S = Tens of satellite ID number
 X..X = not used

Satellite 9 ID number units register

R96	X	X	X	X	X	S	S	S
-----	---	---	---	---	---	---	---	---

S..S = Units of satellite ID number
 X..X = not used

Satellite 9 signal level tens register

R97	X	X	X	X	L	L	L	L
-----	---	---	---	---	---	---	---	---

L..L = Tens of satellite signal level
 X..X = not used

Satellite 9 signal level units register

R98	X	X	X	X	L	L	L	L
-----	---	---	---	---	---	---	---	---

L..L = Units of satellite signal level
 X..X = not used

Satellite 10 ID number tens register

R99	X	X	X	X	X	X	S	S
-----	---	---	---	---	---	---	---	---

S..S = Tens of satellite ID number
 X..X = not used

Satellite 10 ID number units register

R100	X	X	X	X	S	S	S	S
------	---	---	---	---	---	---	---	---

S..S = Units of satellite ID number
 X..X = not used

Satellite 10 signal level tens register

R101	X	X	X	X	L	L	L	L
------	---	---	---	---	---	---	---	---

L..L = Tens of satellite signal level
 X..X = not used

Satellite 10 signal level units register

R102	X	X	X	X	L	L	L	L
------	---	---	---	---	---	---	---	---

L..L = Units of satellite signal level
 X..X = not used

Satellite 11 ID number tens register

R103	X	X	X	X	X	X	S	S
------	---	---	---	---	---	---	---	---

S..S = Tens of satellite ID number
 X..X = not used

Satellite 11 ID number units register

R104	X	X	X	X	S	S	S	S
------	---	---	---	---	---	---	---	---

S..S = Units of satellite ID number
 X..X = not used

Satellite 11 signal level tens register

R105	X	X	X	X	L	L	L	L
------	---	---	---	---	---	---	---	---

L..L = Tens of satellite signal level
 X..X = not used

Satellite 11 signal level units register

R106	X	X	X	X	L	L	L	L
------	---	---	---	---	---	---	---	---

L..L = Units of satellite signal level
 X..X = not used

Satellite 12 ID number tens register

R107	X	X	X	X	X	X	S	S
------	---	---	---	---	---	---	---	---

S..S = Tens of satellite ID number
 X..X = not used

Satellite 12 ID number units register

R108	X	X	X	X	S	S	S	S
------	---	---	---	---	---	---	---	---

S..S = Units of satellite ID number
 X..X = not used

Satellite 12 signal level tens register

R109	X	X	X	X	L	L	L	L
------	---	---	---	---	---	---	---	---

L..L = Tens of satellite signal level
 X..X = not used

Satellite 12 signal level units register

R110	X	X	X	X	L	L	L	L
------	---	---	---	---	---	---	---	---

L..L = Units of satellite signal level
 X..X = not used

Latitude minutes ten thousandths register

R111	X	X	X	X	M	M	M	M
------	---	---	---	---	---	---	---	---

M..M = Ten thousandths of minutes
 X..X = not used

Longitude minutes ten thousandths register

R112	X	X	X	X	M	M	M	M
------	---	---	---	---	---	---	---	---

M..M = Ten thousandths of minutes
 X..X = not used

Registers R0 to R88 and R95 to R112 may contain invalid data until satellite information has been gained and stored.

GPM compatibility...

The DS-GPM+ is fully compatible with the DS-GPM register locations. This allows software written for the GPM to be used on the GPM+ with only small changes to access the additional satellite information and latitude/longitude ten thousandths of minutes registers.

Register restoration...

All received data is formatted into decimal units (i.e. hundreds, tens & units) and stored in individual registers to facilitate either value or character restoration. Value restoration can be undertaken by multiplying the required register by its multiplier e.g. to restore the value of register R0 'Hours tens' the register contents are multiplied by ten (10). Character restoration, to allow the output to a PC via RS232 or display of data on a LCD panel etc., can be undertaken by the addition of the constant value 48_{decimal}, 30_{hex}.

UTC Time format...

The standard GPS time coordinate system is called Universal Coordinated Time or UTC. This time format replaced Greenwich Mean Time (GMT) in 1986 and is of the same value. Time zones relative to GMT should add or subtract a standard value to gain the correct time.

Example.

To read the complete time from registers 0 to 5 (Current time = 14:32:56, Device address = default) write:

'Point to register 0
 Byte 1 (GPM Adr) 11010000_{binary}
 Byte 2 (Set register) 0_{decimal}, 00_{hex}

'Read register 0 - 5
 Byte 1 (GPM Adr) 11010001_{binary}
 Byte 2 Hours tens 1_{decimal}, 01_{hex}
 Byte 3 Hours units 4_{decimal}, 04_{hex}
 Byte 4 Minutes tens 3_{decimal}, 03_{hex}
 Byte 5 Minutes units 2_{decimal}, 02_{hex}
 Byte 6 Seconds tens 5_{decimal}, 05_{hex}
 Byte 7 Seconds units 6_{decimal}, 06_{hex}

See further on in this data sheet for a sample OOPic application.

RS232 connection & setup

The RS232 connector marked 'RS232 COMMS' (6pin header)

allows connection to a Personal Computer – using a DS-W232CAB cable – or serial RS232 device. Connection is via a six (6) pin vertical header, pinned as follows:

Header connection	Description
1	Serial output
2	Serial input
3	Ground (AN0-3 GD)
4	Serial output
5	Serial input
6	AN0-3 V+ connection


The connection is pinned to allow the maximum of four (4) DS-GPM+ modules to be connected in a 'daisy chain' configuration similar to an I²C bus.

This is accomplished by connecting all 'Serial inputs' together, all 'Serial outputs' together (see Figure 3.0) and changing the GPM 'ADDRESS' links on each module. The RS232 connection will support any modern RS232D/E compliant device and must be configured for 9600 baud, 8 data bits, 1 stop bit, no parity, no handshaking required.

RS232 communication

Up to four GPM modules may be connected to the same RS232 device and accessed individually using their own individual address. The address is configured with the following jumpers:

ADDRESS



The following table shows how the jumpers are placed for the different binary addresses:

Address xx	A0	A1
00 (default)	ON	ON
01	OFF	ON
10	ON	OFF
11	OFF	OFF


The binary address (xx) above is used in conjunction with the device ID 11010xxD to form the complete device address i.e. if both jumpers are left connected (default) then the device address would be 1101000D_{binary}.

The 'D' bit determines if a read or a write to the GPM is to be performed. If the 'D' bit is set '1' then a register


read is performed or if clear '0' a register write.

To write to individual registers a device write must be undertaken by the RS232 device which consists of a Prefix character, device ID ('D' bit cleared), register to start write, one or more bytes of data to be written and two terminator characters.

There are 2 individual registers that can be written within the GPM that control local IO port setup and output as follows:




To read the individual data and status registers a device read must be requested by the RS232 device. The read request consists of a Prefix character, device ID ('D' bit set), register to read and two terminator characters as follows:



Note: The register number to read is the same as that defined for the I²C interface.

Upon receipt of the above command the GPM will reply with a response

packet containing the contents of the requested register as follows:



Note: If data from an invalid register is requested the returned register value is set to 255_{decimal} FF_{hex}.

Common register set access...

To speed register access for common register sets (i.e. complete time & date) the GPM also supports the return of multi-value packets. This is accomplished by specifying a 'Register to read' value of 128 to 132 which requests the following Register sets:

- 128 – Time & Date (R0-R13)
- 129 – Position & altitude (R14-R41 also including R111 and R112)
- 130 – Heading & speed (R42-R54)
- 131 – Satellites in view (R55-R88)
- 132 – IO and ADC values (R89-R94)

Example:

To setup IO lines 0 & 1 as inputs, lines 2 & 3 as outputs and read IO line 0 & 1 status (Device address = default) write:

[#208 #0 #3]]

Where #nn is a value not characters.

Then write:

[#209 #93]]

The GPM will respond to the request with the following:

[#208 #x]]

where x = the status of the IO lines (0-3).

Example:

To request the return of the current GPS mode character register R54 (Device address = default) write:

[#209 #54]]

Where #nn is a value not characters.

The GPM will respond to the request with the following:

[#208 A]]

where 'A' is the returned mode character.

Example:

To request the return of the current time and date register set (Device address = default) write:

[#209 #128]]

Where #nn is a value not characters.

The GPM will respond to the request with the following:

[#208 #1 #4 #5 #5 #2 #7 #2 #4 #0 #7 #2 #0 #0 #5]]

where the returned values correspond to the time/date of 14:55:27, 24 day, 07 month, 2005 year.

SCP communication

The Savage Innovations SCP allows a remote PC, Pocket PC, Palm Pilot, or any other device with a serial port to control and read the GPM. The serial protocol is as follows:

9600 baud (bps), 8 Data bits
1 Stop Bit, No Parity
No handshaking (if configurable)

Up to four DS-GPM+ units may be connected to the same RS232 port and accessed individually with their own node address. The node address is configured with the following jumpers:

ADDRESS



The following table shows how the jumpers are placed for the different node addresses:

Node Address	A0	A1
'0' (default)	ON	ON
'1'	OFF	ON
'2'	ON	OFF
'3'	OFF	OFF

The entire character set used by SCP is composed of human readable characters so that a serial terminal program can be used to manually read GPS information. The following commands are only briefly described as the full SCP is not within the scope of this data sheet, a full explanation being available from Savage Innovations.

To enable SCP:

Send "\0V" replace 0 with node address 0 - 3
Receive "v" indicates GPM is functional.

To set Memory type:

Send "128H" 128 + number of registers to access 0 = 1, 1=2
Receive "h" confirms set.

To set register location to start access:

Send "15J" 15 is register number 0 to 31.
Receive "j" confirms set.

To write to previously selected register:

Send "80N" 80 is sample hexadecimal value to write to register (must be in two character notation)
Receive "n" confirms write.

To read previously selected register:

Send "M" Request register read.
Receive "80m" 80 is sample hexadecimal value.

To read register location:

Send "I" Request register location.
Receive "16i" 16 is current register location.

To read memory type:

Send "G" Request memory type.
Receive "128g" 128 is current memory type.

To reset GPM:

Send "W" GPM is reset.

No response generated.

Use the I²C register set for SCP.

To query SCP buffer:

Send "Q" Request SCP buffer contents.

Receive "124q" Characters in buffer are returned e.g. 124 followed by "q". This command does not effect the buffers contents.

To disable SCP:

Send "X" Request exit from SCP.

Receive "x" SCP has exited.

If command format or value is not correct then a "!" response will be received and the command will not be executed.

Example:

To enable SCP, setup memory type register, location register and read hours registers:

Send "\0V" Enable SCP.
Receive "v" SCP enabled.
Send "129H" Set memory type to 128 + 1=129 (2 registers to be accessed).
Receive "h" Command confirmed.
Send "0J" Set register location to 0 to allow access to R0 & R1.
Receive "j" Command confirmed.
Send "M" Request read of hours value registers.
Receive "0104m" Hours tens value 01hex and hours units 04hex is returned.

Raw GPS port

The DS-GPM+ features a GPS port marked 'RAW GPS & IO' (8pin header) that provides raw NMEA

0183 GPS data strings in packets using the following serial protocol:

9600 baud (bps), 8 Data bits
1 Stop Bit, No Parity
No handshaking (if configurable)

The connection is pinned as follows:

Header connection	Description
1	Pulse-Per-Second out
2	GPS control data input
3	GPS data output
4	Ground
5	I/O line 0
6	I/O line 1
7	I/O line 2
8	I/O line 3

WARNING: Connections 1 – 3 are 3.3V TTL levels and may be damaged if connected directly to 5V TTL signals without suitable level shifting. It is recommended that these connections are not used unless you have a good understanding of electronics.

The DS-IM II, or any other MAX232 based unit, is a suitable interface, when powered from a 3.3V power supply, to allow the GPS data IO to be connected to a standard RS232 device such as a Personal Computer. For an application note please contact your distributor.

Electrical Characteristics (T_A = 25°C Typical)

Parameter	Minimum	Maximum	Units	Notes
Supply Voltage (+5V) (V _{cc})	4.5	5.5	V	1
Supply Voltage (6-16V)	6	16	V	
Supply Current	30	50	mA	
RS232 TX data output level	0.3	V _{cc} -0.8V	V	
RS232 RX data input level	-15	+15	V	
RS232 speed	-	9600	bps	
GPS port TX data output level	0.1	3.3	V	
GPS port RX data input level	0	3.3	V	
GPS port speed	-	9600	bps	
GPS PPS output level	0.1	3.3	V	
GPS PPS duration	-	4	uS	
GPS PPS accuracy	-95	95	nS	
I ² C speed	-	400	kHz	
I ² C pull-up resistance	-	4700	Ω	3
GPS positional accuracy	1	5	Metres	
GPS frequency band	-	1575.42	MHz	2
GPS channels	-	12		
ADC input voltage	0	V _{cc}	V	
ADC measurement cycle	-	100	mS	
IO line output voltage	0.3	V _{cc} -0.8V	V	
IO line output current	-	20	mA	
IO line input voltage	0	V _{cc} +0.3V	V	

Absolute Maximum Ratings

Parameter	Minimum	Maximum	Units
Supply Voltage (+5V)	-0.5	+6	V
Supply Voltage (6-16V)	-0.5	+20	V


Environmental

Parameter	Minimum	Maximum	Units
Operating Temperature	0	70	°C
Storage Temperature	-10	80	°C
Humidity	0	80	%
Dimensions	Length 89mm, Width 51mm, Height 30mm		
Weight	50g		
Immunity & emissions	See statement on page 11		

Notes:


1. V_{cc} is supply rail from OOPic or any other +5V supply.
2. L1 frequency, C/A code (Standard Positioning Service)
3. Value given is to V_{cc} when activated with appropriate jumpers.

Figure 1.0 (I²C write protocol)



Multiple bytes may be written before the 'STOP' condition. Data is written into registers starting at 'REGISTER ADDRESS', then 'REGISTER ADDRESS' +1, then 'REGISTER ADDRESS' +2 etc. Each byte transfer is acknowledged 'ACK' by the GPM until the 'STOP' condition.

Figure 1.1 (I²C read protocol)



'DATA BYTE 1 & 2' are register values returned from the GPM. Each byte written is acknowledged 'ACK' by the GPM, every byte read is acknowledged 'ACK' by the I²C Master. A Not-acknowledge 'NACK' condition is generated by the I²C Master when it has finished reading.

Figure 2.0 (Connection Schematic for OOPic (II) I²C communication)




Figure 3.0 (Multi-drop RS232 connection)







Figure 4.0 (I/O connections)



Mechanical Specifications – Units millimetres



Revision History:

- 1.00 Release version
- 1.01 Corrected Speed value error in example OOPic code and added WEEE compliance notice

Declaration of Conformity

Apparatus name / model number DS-GPM+

Conformity via Generic Standard EN50081-1

Generic Standard EN50082-1

Conformity criteria For use only within commercial, residential and light industrial applications

We certify that the apparatus identified above conforms to the requirements of Council Directive 89/336/EEC & 73/23/EEC

Signed.

Date 1/6/02

Copyright © 1997-2007 by DESIGNER SYSTEMS Co.

Manufacturer Designer Systems, 15 Andrew Place, Truro, Cornwall TR1 3HZ, United Kingdom

Description of apparatus Robotic interface peripheral

Having made this declaration the CE mark is affixed to this product, its packaging, manual or warranty.

The information appearing in this data sheet is believed to be accurate at the time of publication. However, Designer Systems assumes no responsibility arising from the use of the information supplied. The applications mentioned herein are used solely for the purpose of illustration and Designer Systems makes no warranty or representation that such applications will be suitable without further modification, nor recommends the use of its products for application that may present a risk to human life due to malfunction or otherwise. Designer Systems reserves the right to alter its products without prior notification.



WEEE Consumer Notice

This product is subject to Directive 2002/96/EC of the European Parliament and the Council of the European Union on Waste of Electrical and Electronic Equipment (WEEE) and, in jurisdictions adopting that Directive, is marked as being put on the market after August 13, 2005, and should not be disposed of as unsorted municipal/public waste. Please utilise your local WEEE collection facilities in the disposition and otherwise observe all applicable requirements. For further information on the requirements regarding the disposition of this product in other languages please visit www.designersystems.co.uk



RoHS Compliance

This product complies with Directive 2002/95/EC of the European Parliament and the Council of the European Union on the Restriction of Hazardous Substances (RoHS) which prohibits the use of various heavy metals (lead, mercury, cadmium, and hexavalent chromium), polybrominated biphenyls (PBB) and polybrominated diphenyl ethers (PBDE).